


PoE-Repeater, kaskadierbar, Innen / Außen

Product Images





Short Description

802.3af/802.3at/High-Power PoE an Remote-Gerät High-Power-Midspan-PoE-konform zur Vereinfachung von Bereitstellung und Installation Erweiterte PoE-Verbindung für weitere 100 Meter 2 integrierte Ausgänge für 1 PoE und 1 Non-PoE-Geräte Wettergeschütztes IP-65 Gehäuse Einfache Plug-and-Play-Installation Keine zusätzliche Stromversorgung erforderlich Mehrere PoE-Verstärker können durch Daisy-Chain zur Reichweitenverlängerung eingesetzt werden

Description

Extend the reach of your PoE-Plus devices For system integrators looking for a professional solution to help extend their Outdoor PoE (802.3af/at) network, POR-1200 is the perfect accessory to increase your network performance. Normal cable runs only reach 100 meters, but with POR-1200 installers can extend the PoE network performance up to 200 meters. Furthermore, you can triple your range or even more by daisy-chaining* multiple PoE repeaters.* Maximum distance depends on the required Wattage of the PD. Simple yet durable, no software required As a PoE-Plus Repeater, POR-1200 receives all power from the Power Sending Equipment (PSE), such as a PoE-Plus switch. This means that POR-1200 uses no external power supply, making it the most flexible option for systems integrators looking for an easy, affordable solution to increase the distance to attached devices on a network. POR-1200 has 3 RJ-45 ports for easy deployment, 1 "IN" port that accepts the power and data for the first 100 meters, and 2 "OUT" ports for 1 PoE (power + data) and 1 non-PoE (data only) installation, that boosts and extends the device an additional 100 meters. Applications POR-1200 is a long-ranged solution for deploying PoE IP Camera and any Fast Ethernet PoE PD powered by 802.3at PSE. IP65-compliant The POR-1200 is compliant to IP65, and is therefore weatherproof from snow, rain, storms, desert heat, etc. For deployment in any harsh weather conditions, this PoE Repeater is up to the challenge.

Additional Information

RJ45 Datenanschluss	1
802.3af/at PoE	1
Code des Harmonisierten Systems (HS)	851762
Zolltariflicher Warencode (TARIC)	8517620000
Features.	PoE Extension for another 100 meters at 100Mbps
Data Rate.	100Mbps
Indikator	Power, PoE In, PoE Out 1
Cascadable.	Ja
Energieverbrauch	2W (Max.)
Ausgangsspannung	50W (Max.)
Standards	IEEE 802.3 10Base-T, Ethernet IEEE 802.3u 100Base-TX, Fast Ethernet IEEE 802.3x Ethernet Flow Control
Operating humidity.	5% RH ~ 95% RH
Operating temperature.	0°C ~ 50°C
Lieferumfang	POR-1200 Quick Installation Guide Montageset
Farbe	Weiß
EAN	4015867185599
Modellnummer	POR-1200
Dimensions (W x D x H).	200 x 110 x 240 mm
Produktgewicht (kg)	0,7

