


119253 DisplayPort 1.4 Cable, 3.0m, 8K/60Hz

Product Images



Short Description

- DisplayPort Male to Male

- Supports video resolutions up to 8K/60Hz, 4K/120Hz
- Gold Plated Connectors for high signal quality
- Downwards compatible to DisplayPort 1.1, 1.2 and 1.3
- Transmission of audio and video signals
- Compliant with VESA certified
- DisplayPort DP 8K certified cable
- Bandwidth up to 32.4Gbps
- Built with sturdy metal latch
- Supports HDCP 1.4 and 2.2
- Supports HDR (High Dynamic Range)
- Supports DSC (Display Stream Compression)
- Supports MST (Multi Stream Transport)
- Resolution up to below (depend on system and connector hardware)

Data transfer without DSC (display stream compression).

8k: 7680 x 4320 @ 30 Hz.

5k: 5120 x 2880 @ 60 Hz.

4k: 3840 x 2160 @ 144 Hz.

2k: 2560 x 1440 @ 240 Hz.

1080P: 1920 x 1200 @ 240 Hz.

Data transfer with DSC support. (display stream compression).

8k: 7680 x 4320 @ 60 Hz (DSC).

5k: 5120 x 2880 @ 120 Hz (DSC).

4k: 3840 x 2160 @ 240 Hz (DSC).

Description

The equip® DisplayPort Cable is a digital audio and video cable, designed primarily for connections between computer and its display monitor, or a computer and a home-theater system. Intended to replace VGA, DVI and HDMI cables, By supporting a maximum bandwidth of 32.4 Gbps, content up to 8K Ultra HD (7680 x 4320 @ 60 Hz) resolution can be displayed

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544421000
Max. Resolution.	8K/60Hz
Connector 1.	DisplayPort, male
Connector 2.	DisplayPort, male
Conductor material.	Copper
Conductor size (AWG).	28AWG
Data Rate.	32.4Gbps
DisplayPort version.	1.4
Cable Jacket material.	PVC
Standards.	DisplayPort 1.4
Approval and Compliance.	CE , RoHS
Package Contents.	DisplayPort 1.4 Cable
Color.	Black
EAN.	4015867223864
Model Number.	119253
Cable Length.	3m
Dimensions (W x D x H).	7 x 7 x 3000 mm
Product weight (kg).	0,172

