

DONN16G 4-in-1 USB 3.2 Gen 1 Docking Station, HDMI, VGA, USB-A 3.0, 100W USB PD

Product Images



Short Description

4-in-1 USB-C to HDMI/VGA/USB-C PD/USB 3.0 multiport adapter
Supports HDMI resolution up to 4K 30Hz
Supports VGA resolution up to 1080P 60Hz
Support VGA & HDMI simultaneously
Supports USB Power Delivery (PD) up to 100W
USB 3.2 Gen 1 SuperSpeed (5Gb/s)
Aluminum casing for heat dissipation
Multi-platform support: Windows, macOS, ChromeOS
Simple Plug and Play installation

Description

Expand your device's USB-C capacity with the 4-in-1 Docking Station. The device offers HDMI, VGA, USB-C PD, and USB 3.0 ports. This docking station offers a portable solution for connecting an HDMI and VGA display to your USB-C laptop or desktop computer. The multiport video adapter lets you mirror or extend content on two additional monitors simultaneously (1 x HDMI and 1 x VGA), creating a dual-screen workstation. Perfect for home entertainment, office presentations and classroom teaching.

Additional Information

Harmonized System (HS) code.	847180
Customs product code (TARIC).	8471800000
Cable Length.	0.1m
Dimensions (W x D x H).	45 x 62 x 15 mm
Product weight (kg).	0.044
USB Power Delivery (PD).	100W
Connector.	USB-C male
Data Rate.	5Gbps
Port Configuration.	HDMI x 1, VGA x 1, USB-C PD x 1, USB 3.0 x 1
Power supply included.	No
Resolutions.	4K 30Hz Single display, 1080P 60Hz Dual display
Standards.	HDMI 1.4, USB 3.2 Gen 1
Approval and Compliance.	CE, RoHS
Operating temperature.	0°C ~ 45°C
Compatible operating systems.	Windows XP/Vista/7/8/10/11 MacOS 10.5 or above Linux
Package Contents.	DONN16G Multilingual quick installation guide
Color.	Grey
EAN.	4015867234082
Model Number.	DONN16G

