

606210 Cat.6A S/FTP Patch Cable, 20m, Blue

Product Images





Short Description

- 4 x 2 AWG 26/7
- 500MHz performance Bandwidth
- Transmission: 10Gbit
- Suitable for PoE, PoE+
- Stranded bare copper conductor
- Foil and braid shield Reduces EMI/RFI interference
- PIMF (Pairs in metal Foil)
- Molded boot with Strain relief
- RoHS compliant
- Low Smoke Zero Halogen (LSZH/LSOH)
- Compliant with ISO/IEC 11801 and EN 50173

Description

The equip® Cat.6A S/FTP Patch Cord is composed of preeminent materials and fully-examined to conform with industrial standards. Offering higher bandwidth and better signal-to-noise margin, the Cat.6A cable is able to deliver ultrahigh and error-free performance in the most demanding network environments, specially for 10G application

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544421000
Color.	Blue
EAN.	4015867204436
Model Number.	606210
Angled Plug.	No
Flat cable.	No
Shielded.	Yes
Shielding.	S/FTP
Connector 1.	RJ45 male
Connector 2.	RJ45 male
Cable Length.	20m
Dimensions (W x D x H).	8.34 x 11.68 x 20000 mm
Product weight (kg).	0,626
Category.	Cat.6A
Conductor material.	Copper
Conductor size (AWG).	26AWG
Cable Jacket material.	LSZH
Approval and Compliance.	RoHS
Package Contents.	Cat.6A S/FTP Patch Cable

3 9/8/25

